

## SUPPLEMENTAL HEALTH CARE PROGRAM FOR CHILD CARE CENTERS PROVIDING INFANT-TODDLER CARE SUGGESTED FEEDING PLAN

FSSA - MS02 402 WEST WASHINGTON STREET, RM W362 INDIANAPOLIS, IN 46204

State Form 49963 (R4 / 12-21)

The following feeding plan has been recommended for this child.

## INSTRUCTIONS:

Prior to admission, a feeding plan shall be established and written for each infant (age six (6) weeks to twelve (12) months) in consultation with the parents and based on the written recommendation of the child's medical provider. Feeding plans must be continually updated by the child's medical provider or parent. [470 IAC 3-4.7 (b)]

Name of c	hild		Date of birth (month, day, year)		
Age in Months	Time to Feed	Formula / Food Item and Amount	Special Instructions	Signature and Date of Parent or Medical Provider	
Signature	of MD, DO, NP,	PA		Date signed (month, day, year)	
1					

## **FEEDING PLAN GUIDELINES**

INSTRUCTIONS: This is a guideline. Each child will grow at a different rate.

- 1. Formula, breast milk, water or juice may be offered in a training cup when a child is ready.
- 2. Formula or breast milk is used until twelve (12) months unless otherwise stated by a physician.
- 3. Only plain, strained, mashed or chopped vegetables, fruits and meats are offered.
- 4. Most children are ready for foods of coarser consistency between nine (9) to ten (10) months of age. Mashed or chopped table foods may be used.
- 5. Strained or mashed foods may be introduced at six (6) months if the infant's neuromuscular system has developed appropriately. Indications for solid foods are: the ability to swallow non-liquid foods, to sit with support, head and neck control, and to show that the child is able to decline food by leaning back or turning away.
- 6. Finger foods may be offered between nine (9) to twelve (12) months when infant is developing finger / hand coordination.
- 7. The serving of juice to children under twelve (12) months of age is discouraged.

2 MONTHS - 5 MONTHS								
TIME INTERVAL	TIME INTERVAL AMOUNT EACH FEEDING							
	Month 2	Month 3	Month 4	Month 5				
6:00 a.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.				
10:00 a.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.				
2:00 p.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.				
6:00 p.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.				
10:00 p.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.				
2:00 a.m.	4 - 6 oz.	4 - 7 oz.	5 - 7 oz.	5 - 8 oz.				

6 MONTHS - 12 MONTHS									
	Month 6	Month 7	Month 8	Month 9	Months 10, 11, and 12				
Total Amount of Formula Per 24 Hours	30 - 48 oz.	30 - 32 oz.	29 - 31 oz.	26 - 31 oz.	24 - 32 oz.				
7:00 a.m.	5 - 8 oz. formula 2 - 3T baby cereal *	6 oz. formula 2 - 3T baby cereal *	7 - 8 oz. formula 3 - 5T baby cereal *	7 - 8 oz. formula ** 4 - 6T baby cereal * 2 - 4T fruit	6 - 8 oz. formula ** (1cup) 1/4 - 1/2 baby cereal * 2 - 4T fruit				
9:00 a.m.	5 - 8 oz. formula	6 oz. formula	1/2 cup Vitamin C fortified fruit or juice 1/4 dry toast or 1 cracker	1/2 cup Vitamin C fortified fruit or juice 1/2 dry toast or 2 crackers	1/2 cup Vitamin C fortified fruit or juice 1/2 dry toast or 2 crackers				
12:00 Noon	5 - 8 oz. formula 1/2 dry toast or 2 crackers	6 oz. formula 2 - 3T strained vegetable	7 - 8 oz. formula 5 - 9T vegetable 2 - 4T fruit	7 - 8 oz. formula ** 1 - 2T meat 5 - 9T vegetable 2 - 4T fruit	6 - 8 oz. formula ** (1 cup) 2T meat 2 - 6T potato, rice, noodles 5 - 9T vegetable 4 - 6T fruit				
3:00 p.m.	5 - 8 oz. formula	6 oz. formula 1/2 dry toast or 2 crackers	7 - 8 oz. formula 1/2 dry toast or 2 crackers	7 - 8 oz. formula ** 1/2 dry toast or 2 crackers	6 - 8 oz. formula ** (1 cup) 1/2 dry toast or 2 crackers				
6:00 p.m.	5 - 8 oz. formula 2 - 3T baby cereal *	6 oz. formula 2 - 3T strained fruit 2 - 3T baby cereal *	7 - 8 oz. formula 5 - 9T vegetable 2 - 4T fruit 2 - 5T baby cereal *	7 - 8 oz. formula ** 5 - 9T vegetable 2 - 4T fruit 1T meat 4T baby cereal *	6 - 8 oz. formula ** (1 cup) 2T meat 2 - 6T potato, rice, noodles 2 - 4T vegetable 2 - 4T fruit				
9:00 p.m.	5 - 8 oz. formula	May start sleeping through the night.							

<sup>\*</sup> If dry cereal is used, mix cereal and formula in a bowl. Feed with a spoon.

<sup>\*\*</sup> Formula may be offered in a training cup.