

All regulations are preceded by 470 IAC 3-4

Licensing ID number																
Name of facility					E-mail a	address			Location	on of facility	(numbe	er and st	reet)			
City					ZIP cod	le			County	1						
Mailing address (numb	er and stree	t)			City									ZIP code		
Number of children lice	esed for:				Age of	children li	censed f	or:				Telepho	ne num	ber		
						From:			To:			(		)		
Dishwashing type  3-compartmen	nteink 🗆	Commo	rcial dishwa	sher $\square$	N/A	Vendor								Last survey date		
Food preparation	IL SIIIK 🗀	Comme	Ciai disriwa	Food pro		roved				Health	progran	n approv	red			
☐ Cook ☐ Ver	nd 🗌 Bo	oth				□Yes	□No				_		Yes [	□No		
Water		er sample	number	Water samp	le date (	month, da	y, year)	Water	sample			5	Sewage			
☐ Public ☐ Priva			Time of curre	unt aumiau					Satisfacto	ory 🗆 Uns			of a	Public Prent survey	ivate	
Date of current survey	(тпопит, иау,	year)	Start	ent survey		☐ AM	_	nd		□ A □ P		. 🗖	Annua	al 📮 Follov	/-up	
Name of surveyor			Start			☐ FIVI		of directo	r		IVI		Comp	olaint  Proba	tion	
Days open (check all to	_											Hours o	pen			
Sunday  Number of toilets / urin	Monday	☐ Tue	sday	Wednes Number of		☐ Thu	rsday	☐ Fr	iday	Saturda	,	From:		r toilets		
Number of tollets / unit	idis			INUITIBEI C	n iavatori	62				Number	OI IIIIa	III/loddie	er tollets	5		
Number of infant/toddle	er lavatories			Number o	of toddler	rooms				Numbe	r of infa	nt rooms	5			
1. RECORDS					_	I - CHI	LD CA	KE			Yes	N/A	No	REPEAT NONCOMPLIANC		
		المام مامنا	fl-:													
				man and												
a. Staff record (3-4.7-41)	s siiaii iiio	iude dai	e or errilo	ment.											1-5	
					n.										1-5	
(3-4.7-41) b. Children's re (3-4.7-36)					n.											
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha			admission		check a	approx	priate au	res)					Ratios		
(3-4.7-41) b. Children's re (3-4.7-36)			de date of	admission	roup (	check a		oriate aç	<b>ges)</b> □ 6 and	d older				Ratios :		
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha		de date of	Age G	roup (6	□3	□ 4	□5	☐ 6 and					Ratios :		
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha		lnfant	Age G	roup (c	□3 □3	□ 4 □ 4	□ 5 □ 5	☐ 6 and	d older				Ratios :		
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha		Infant /	Age G / Toddler / Toddler	roup (d	□ 3 □ 3 □ 3	□ 4 □ 4 □ 4	□ 5 □ 5 □ 5	☐ 6 and	d older				Ratios :		
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha		Infant /	Age G / Toddler / Toddler / Toddler	roup (d	□3 □3 □3 □3	4 4 4	□ 5 □ 5 □ 5 □ 5	☐ 6 and	d older				Ratios :		
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha		Infant /	Age G / Toddler / Toddler	roup (d	□3 □3 □3 □3	□ 4 □ 4 □ 4	□ 5 □ 5 □ 5 □ 5	☐ 6 and	d older d older d older				Ratios : :		
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha		Infant / Infant / Infant /	Age G / Toddler / Toddler / Toddler	roup (d	□3 □3 □3 □3	4 4 4	□ 5 □ 5 □ 5 □ 5 □ 5 □ 5	☐ 6 and ☐ 6 and ☐ 6 and ☐ 6 and	d older d older d older d older				Ratios		
(3-4.7-41) b. Children's re (3-4.7-36)  2. RATIOS	ecords sha		Infant / Infant / Infant / Infant /	Age G / Toddler / Toddler / Toddler / Toddler / Toddler	roup (d	□3 □3 □3 □3	4 4 4 4	□5 □5 □5 □5 □5	☐ 6 and	d older d older d older d older d older				Ratios : : :		

2. RATIOS (co	ntinued)							
Toilets/Sinks	Room	Age G	roup (d	check a	approp	riate a	ges)	Ratios
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□ 3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□ 2	□ 3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□ 3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□ 3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□ 3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□ 3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	□2	□3	□ 4	□ 5	☐ 6 and older	:
		Infant / Toddler	2	□ 3	□ 4	□ 5	☐ 6 and older	:

a. Written communicable disease policy available. [3-4.7-89(a)] 4. 470 IAC 3-4.7-15 PERSONNEL POLICIES  a. Written infectious disease policy available. [3-4.7-15(f)(a)]  b. Infectious disease policy should include, but not be limited to the following:  1. Hepatitis A [3-4.7-15(c)(A)]  2. Cytomegalovirus (CMV) [3-4.7-15(c)(1)(B)]  3. Chicken Pox [3-4.7-15(c)(1)(C)]  4. Rubella [3-4.7-15(c)(1)(C)]  5. Measles [3-4.7-15(c)(1)(E)]  6. Pertussis [3-4.7-15(c)(1)(F)]  7. Fifth disease [3-4.7-15(c)(1)(F)]  9. Tuberculosis [3-4.7-15(c)(1)(H)]  10. Shigeliosis [3-4.7-15(c)(1)(H)]  11. Glardiasis [3-4.7-15(c)(1)(V)]  12. Meningococcal disease [3-4.7-15(c)(1)(M)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(M)]  15. Scabies [3-4.7-15(c)(1)(M)]  16. Lice [3-4.7-15(c)(1)(M)]  17. Herpes [3-4.7-15(c)(1)(M)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(M)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(V)]  21. Campylobacterium [3-4.7-15(c)(1)(W)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomitting [3-4.7-15(c)(1)(W)]	3. 470 IAC 3-4.7-89 COMMUNICABLE DISEASE	Yes	N/A	No	Repeat	
a. Written infectious disease policy available. [3-4.7-15(i)(a)]  b. Infectious disease policy should include, but not be limited to the following:  1. Hepatitis A [3-4.7-15(c)(A)]  2. Cytomegalovirus (CMV) [3-4.7-15(c)(1)(B)]  3. Chicken Pox [3-4.7-15(c)(1)(C)]  4. Rubella [3-4.7-15(c)(1)(D)]  5. Measles [3-4.7-15(c)(1)(E)]  6. Pertussis [3-4.7-15(c)(1)(F)]  7. Fifth disease [3-4.7-15(c)(1)(H)]  9. Tuberculosis [3-4.7-15(c)(1)(H)]  10. Shigellosis [3-4.7-15(c)(1)(H)]  11. Glardiasis [3-4.7-15(c)(1)(W)]  12. Meningococcal disease [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(M)]  15. Scabies [3-4.7-15(c)(1)(M)]  16. Lice [3-4.7-15(c)(1)(D)]  17. Herpes [3-4.7-15(c)(1)(D)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(M)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(M)]  21. Campylobacterium [3-4.7-15(c)(1)(M)]  22. Salmonella [3-4.7-15(c)(1)(M)]	a. Written communicable disease policy available. [3-4.7-89(a)]					2
b. Infectious disease policy should include, but not be limited to the following:  1. Hepatitis A [3-4.7-15(c)(A)]  2. Cytomegalovirus (CMV) [3-4.7-15(c)(1)(B)]  3. Chicken Pox [3-4.7-15(c)(1)(C)]  4. Rubella [3-4.7-15(c)(1)(E)]  5. Measles [3-4.7-15(c)(1)(E)]  6. Pertussis [3-4.7-15(c)(1)(F)]  7. Fifth disease [3-4.7-15(c)(1)(B)]  8. Influenza [3-4.7-15(c)(1)(B)]  9. Tuberculosis [3-4.7-15(c)(1)(B)]  10. Shigellosis [3-4.7-15(c)(1)(B)]  11. Giardiasis [3-4.7-15(c)(1)(B)]  12. Meningococcal disease [3-4.7-15(c)(1)(M)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(M)]  15. Scabies [3-4.7-15(c)(1)(M)]  16. Lice [3-4.7-15(c)(1)(M)]  17. Herpes [3-4.7-15(c)(1)(M)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(V)]  21. Campylobacterium [3-4.7-15(c)(1)(W)]  22. Salimonella [3-4.7-15(c)(1)(W)]	4. 470 IAC 3-4.7-15 PERSONNEL POLICIES					
1. Hepatilis A [3-4,7-15(c)(A)] 2. Cytomegalovirus (CMV) [3-4,7-15(c)(1)(B)] 3. Chicken Pox [3-4,7-15(c)(1)(C)] 4. Rubella [3-4,7-15(c)(1)(D)] 5. Measles [3-4,7-15(c)(1)(E)] 6. Pertussis [3-4,7-15(c)(1)(F)] 7. Fifth disease [3-4,7-15(c)(1)(G)] 8. Influenza [3-4,7-15(c)(1)(H)] 9. Tuberculosis [3-4,7-15(c)(1)(H)] 10. Shigeliosis [3-4,7-15(c)(1)(J)] 11. Glardiasis [3-4,7-15(c)(1)(J)] 12. Meningococcal disease [3-4,7-15(c)(1)(L)] 13. Group A Streptococcus [3-4,7-15(c)(1)(M)] 14. Ringworn [3-4,7-15(c)(1)(M)] 15. Scabies [3-4,7-15(c)(1)(M)] 16. Lice [3-4,7-15(c)(1)(M)] 17. Herpes [3-4,7-15(c)(1)(M)] 18. Cryptosporidiosis [3-4,7-15(c)(1)(R)] 19. Diarrhea caused by escherichia coli (E. Coli) [3-4,7-15(c)(1)(S)] 20. Rotavirus [3-4,7-15(c)(1)(U)] 21. Campylobacterium [3-4,7-15(c)(1)(U)] 22. Salmonella [3-4,7-15(c)(1)(V)]	a. Written infectious disease policy available. [3-4.7-15(I)(a)]					2
2. Cytomegalovirus (CMV) [3-4.7-15(c)(1)(B)] 3. Chicken Pox [3-4.7-15(c)(1)(C)] 4. Rubella [3-4.7-15(c)(1)(D)] 5. Measles [3-4.7-15(c)(1)(E)] 6. Pertussis [3-4.7-15(c)(1)(F)] 7. Fifth disease [3-4.7-15(c)(1)(F)] 8. Influenza [3-4.7-15(c)(1)(H)] 9. Tuberculosis [3-4.7-15(c)(1)(H)] 10. Shigellosis [3-4.7-15(c)(1)(H)] 11. Giardiasis [3-4.7-15(c)(1)(H)] 12. Meningococcal disease [3-4.7-15(c)(1)(L)] 13. Group A Streptococcus [3-4.7-15(c)(1)(M)] 14. Ringworm [3-4.7-15(c)(1)(N)] 15. Scables [3-4.7-15(c)(1)(N)] 16. Lice [3-4.7-15(c)(1)(D)] 17. Herpes [3-4.7-15(c)(1)(N)] 18. Cryptosporidiosis [3-4.7-15(c)(1)(R)] 19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)] 20. Rotavirus [3-4.7-15(c)(1)(V)] 21. Campylobacterium [3-4.7-15(c)(1)(W)] 22. Salmonella [3-4.7-15(c)(1)(V)]	b. Infectious disease policy should include, but not be limited to the following:					1-5
3. Chicken Pox [3-4.7-15(c)(1)(C)] 4. Rubella [3-4.7-15(c)(1)(D)] 5. Measles [3-4.7-15(c)(1)(E)] 6. Pertussis [3-4.7-15(c)(1)(F)] 7. Fifth disease [3-4.7-15(c)(1)(H)] 9. Tuberculosis [3-4.7-15(c)(1)(H)] 10. Shigellosis [3-4.7-15(c)(1)(H)] 11. Giardiasis [3-4.7-15(c)(1)(M)] 12. Meningococcal disease [3-4.7-15(c)(1)(L)] 13. Group A Streptococcus [3-4.7-15(c)(1)(M)] 14. Ringworm [3-4.7-15(c)(1)(N)] 15. Scables [3-4.7-15(c)(1)(N)] 16. Lice [3-4.7-15(c)(1)(M)] 17. Herpes [3-4.7-15(c)(1)(M)] 18. Cryptosporidiosis [3-4.7-15(c)(1)(R)] 19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)] 20. Rotavirus [3-4.7-15(c)(1)(T)] 21. Campylobacterium [3-4.7-15(c)(1)(M)] 22. Salmonella [3-4.7-15(c)(1)(W)]	1. Hepatitis A [3-4.7-15(c)(A)]					
4. Rubella [3-4.7-15(c)(1)(D)]  5. Measles [3-4.7-15(c)(1)(E)]  6. Pertussis [3-4.7-15(c)(1)(F)]  7. Fifth disease [3-4.7-15(c)(1)(G)]  8. Influenza [3-4.7-15(c)(1)(H)]  9. Tuberculosis [3-4.7-15(c)(1)(I)]  10. Shigellosis [3-4.7-15(c)(1)(J)]  11. Giardiasis [3-4.7-15(c)(1)(K)]  12. Meningococcal disease [3-4.7-15(c)(1)(L)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(N)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(V)]  21. Campylobacterium [3-4.7-15(c)(1)(V)]  22. Salmonella [3-4.7-15(c)(1)(V)]	2. Cytomegalovirus (CMV) [3-4.7-15(c)(1)(B)]					
5. Measles [3-4.7-15(c)(1)(E)] 6. Pertussis [3-4.7-15(c)(1)(F)] 7. Fifth disease [3-4.7-15(c)(1)(G)] 8. Influenza [3-4.7-15(c)(1)(H)] 9. Tuberculosis [3-4.7-15(c)(1)(H)] 10. Shigellosis [3-4.7-15(c)(1)(J)] 11. Giardiasis [3-4.7-15(c)(1)(K)] 12. Meningococcal disease [3-4.7-15(c)(1)(L)] 13. Group A Streptococcus [3-4.7-15(c)(1)(M)] 14. Ringworm [3-4.7-15(c)(1)(N)] 15. Scabies [3-4.7-15(c)(1)(O)] 16. Lice [3-4.7-15(c)(1)(P)] 17. Herpes [3-4.7-15(c)(1)(Q)] 18. Cryptosporidiosis [3-4.7-15(c)(1)(R)] 19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)] 20. Rotavirus [3-4.7-15(c)(1)(T)] 21. Campylobacterium [3-4.7-15(c)(1)(U)] 22. Salmonella [3-4.7-15(c)(1)(V)] 23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	3. Chicken Pox [3-4.7-15(c)(1)(C)]					
6. Pertussis [3-4.7-15(c)(1)(F)]  7. Fifth disease [3-4.7-15(c)(1)(G)]  8. Influenza [3-4.7-15(c)(1)(H)]  9. Tuberculosis [3-4.7-15(c)(1)(I)]  10. Shigellosis [3-4.7-15(c)(1)(J)]  11. Glardiasis [3-4.7-15(c)(1)(K)]  12. Meningococcal disease [3-4.7-15(c)(1)(L)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(D)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	4. Rubella [3-4.7-15(c)(1)(D)]					
7. Fifth disease [3-4.7-15(c)(1)(G)] 8. Influenza [3-4.7-15(c)(1)(H)] 9. Tuberculosis [3-4.7-15(c)(1)(I)] 10. Shigellosis [3-4.7-15(c)(1)(J)] 11. Giardiasis [3-4.7-15(c)(1)(K)] 12. Meningococcal disease [3-4.7-15(c)(1)(L)] 13. Group A Streptococcus [3-4.7-15(c)(1)(M)] 14. Ringworm [3-4.7-15(c)(1)(N)] 15. Scabies [3-4.7-15(c)(1)(N)] 16. Lice [3-4.7-15(c)(1)(P)] 17. Herpes [3-4.7-15(c)(1)(Q)] 18. Cryptosporidiosis [3-4.7-15(c)(1)(R)] 19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)] 20. Rotavirus [3-4.7-15(c)(1)(V]) 21. Campylobacterium [3-4.7-15(c)(1)(V)] 22. Salmonella [3-4.7-15(c)(1)(V)] 23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	5. Measles [3-4.7-15(c)(1)(E)]					
8. Influenza [3-4.7-15(c)(1)(H)] 9. Tuberculosis [3-4.7-15(c)(1)(I)] 10. Shigellosis [3-4.7-15(c)(1)(J)] 11. Giardiasis [3-4.7-15(c)(1)(K)] 12. Meningococcal disease [3-4.7-15(c)(1)(L)] 13. Group A Streptococcus [3-4.7-15(c)(1)(M)] 14. Ringworm [3-4.7-15(c)(1)(N)] 15. Scabies [3-4.7-15(c)(1)(O)] 16. Lice [3-4.7-15(c)(1)(P)] 17. Herpes [3-4.7-15(c)(1)(Q)] 18. Cryptosporidiosis [3-4.7-15(c)(1)(R)] 19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)] 20. Rotavirus [3-4.7-15(c)(1)(T)] 21. Campylobacterium [3-4.7-15(c)(1)(V)] 22. Salmonella [3-4.7-15(c)(1)(V)] 23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	6. Pertussis [3-4.7-15(c)(1)(F)]					
9. Tuberculosis [3-4.7-15(c)(1)(1)]  10. Shigellosis [3-4.7-15(c)(1)(J)]  11. Giardiasis [3-4.7-15(c)(1)(K)]  12. Meningococcal disease [3-4.7-15(c)(1)(L)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	7. Fifth disease [3-4.7-15(c)(1)(G)]					
10. Shigellosis [3-4.7-15(c)(1)(J)]  11. Giardiasis [3-4.7-15(c)(1)(K)]  12. Meningococcal disease [3-4.7-15(c)(1)(L)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	8. Influenza [3-4.7-15(c)(1)(H)]					
11. Giardiasis [3-4.7-15(c)(1)(K)]  12. Meningococcal disease [3-4.7-15(c)(1)(L)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	9. Tuberculosis [3-4.7-15(c)(1)(I)]					
12. Meningococcal disease [3-4.7-15(c)(1)(L)]  13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	10. Shigellosis [3-4.7-15(c)(1)(J)]					
13. Group A Streptococcus [3-4.7-15(c)(1)(M)]  14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	11. Giardiasis [3-4.7-15(c)(1)(K)]					
14. Ringworm [3-4.7-15(c)(1)(N)]  15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	12. Meningococcal disease [3-4.7-15(c)(1)(L)]					
15. Scabies [3-4.7-15(c)(1)(O)]  16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	13. Group A Streptococcus [3-4.7-15(c)(1)(M)]					
16. Lice [3-4.7-15(c)(1)(P)]  17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	14. Ringworm [3-4.7-15(c)(1)(N)]					
17. Herpes [3-4.7-15(c)(1)(Q)]  18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	15. Scabies [3-4.7-15(c)(1)(O)]					
18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]  19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	16. Lice [3-4.7-15(c)(1)(P)]					
19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]  20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	17. Herpes [3-4.7-15(c)(1)(Q)]					
20. Rotavirus [3-4.7-15(c)(1)(T)]  21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	18. Cryptosporidiosis [3-4.7-15(c)(1)(R)]					
21. Campylobacterium [3-4.7-15(c)(1)(U)]  22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	19. Diarrhea caused by escherichia coli (E. Coli) [3-4.7-15(c)(1)(S)]					
22. Salmonella [3-4.7-15(c)(1)(V)]  23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	20. Rotavirus [3-4.7-15(c)(1)(T)]					
23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]	21. Campylobacterium [3-4.7-15(c)(1)(U)]					
	22. Salmonella [3-4.7-15(c)(1)(V)]					
TOTAL	23. Diarrhea and vomiting [3-4.7-15(c)(1)(W)]					
	ТО	TAL				

5. 470 IAC 3-4.7-19 POSTED ITEMS	Yes	N/A	No	Repeat	
a. The following items shall be prominently posted in a place regularly viewed by parents:					1-20
1. The license [3-4.7-19(a)(1)]					
The name of the director and the name of the person in charge in the director's absence. [3-4.7-19(a)(2)]					
3. A child/staff ratio chart [3-4.7-19(a)(3)]					
4. Weekly menus in a conspicuous place in the kitchen. [3-4.7-19(a)(4)]					
b. The center shall post the following items:					
Hand washing procedures at each adult sink area. [3-4.7-19(b)(1)]					
2. Diaper changing procedures at each diaper changing area. [3-4.7-19(b)(2)]					
3. A copy of infant feeding plans in each infant room. [3-4.7-19(b)(3)]					
4. Procedures for bottle sterilization, where this occurs. [3-4.7-19(b)(4)]					
5. Fire and emergency disaster routes in each child care room, kitchen, offices and hallways. [3-4.7-19(b)(5)]					
6. Dish washing procedures, where this occurs. [3-4.7-19(b)(7)]					
7. Instructions for mixing and use of sanitizing solutions for cots, tables, toys, dish washing, and diaper changing areas, where the solution is prepared. [3-4.7-19(b)(8)]					
8. Approved first aid directives in each child care area. [3-4.7-19(b)(9)]					
9. Cleaning schedules in all food storage, preparation, and service areas. [3-4.7-19(b)(10)]					
c. Staff shall post by the telephone, the name and address of the child care center and a list of emergency	teleph	one n	umber	s as foll	ows:
1. Fire department [3-4.7-19(c)(1)]					
2. Police department [3-4.7-19(c)(2)]					
3. Ambulance [3-4.7-19(c)(3)]					
4. Nearest hospital [3-4.7-19(c)(4)]					
5. Poison Control number 1-800-222-1222 [3-4.7-19(c)(5)]					
6. The County Child Protective Services number 1-800-800-5556 [3-4.7-19(c)(6)]					
7. The Institute Abuse Hotline number 1-800-562-2407 [3-4.7-19(c)(7)]					
8. The Child Care Information line 1-877-511-1144 [3-4.7-19(c)(8)]					
6. 470 IAC 3-4.7-33 BASIC FIRST AID TRAINING					
<ul> <li>a. Documentation of current first aid training. Infant/Toddler upon employment; all staff within six (6) months. [3-4.7-33]</li> </ul>					*
7. 470 IAC 3-4.7-34 CPR TRAINING					
<ul> <li>a. Staff present at all hours who have been trained annually in age appropriate CPR. <u>ALL</u> Infant/Toddler caregivers trained annually in CPR. [3-4.7-34]</li> </ul>					*
TOTAL					

8. 470 IAC 3-4.7-35 IN-SERVICE STAFF TRAINING	Yes	N/A	No	Repeat	
a. Documentation of Nutrition, Sanitation, and Safety training for director and all caregivers annually. [3-4.7-35(a)(2)(D)]					2
b. Certified food service training for person responsible for food service. 410 IAC 7-24					5
9. 470 IAC 3-4.7-38 / 470 IAC 3-4.7-86 CHILDREN'S HEALTH RECORDS					
a. Children have current physical examination within thirty (30) days of enrollment and no earlier than twelve (12) months prior to enrollment. [3-4.7-86(a)]					1-5
b. Children have current and complete record of immunizations within thirty (30) days of enrollment (showing month, day, and year of each immunization). [3-4.7-38(2)]					1-5
c. Children two (2) years of age and younger have an annual health examination. [3-4.7-86(f)]					2
10. 470 IAC 3-4.7-39 CHILDREN'S INJURY RECORDS		ı			
a. Record maintained on all injuries. [3-4.7-39(a)]					2
11. 470 IAC 3-4.7-40 / 470 IAC 3-4.7-88 CHILDREN'S MEDICATION RECORDS					
a. Complete record of dispensed medication. [3-4.7-40(a)]					1-3
b. Parent permission form on file for each given medication. [3-4.7-40(b)]					2
c. Prescription medications have complete labels and renewed annually. [3-4.7-88(b)]					2
<ul> <li>d. Medication and medical procedures have a written order from a physician or health care professional, authorized to write prescriptions. Order must be kept with medication. [3-4.7-88(e)]</li> </ul>					1-5
e. Medication kept in original container. [3-4.7-88(g)]					2
f. Medication locked. [3-4.7-88(i)]					*
g. Medication stored in a well lit area (50 footcandles of light) [3-4.7-88(i)]					2
h. Refrigerated medication stored properly. [3-4.7-88(j)]					2
i. Unused, outdated medication discarded. [3-4.7-88(h)]					2
12. 470 IAC 3-4.7-42 EMERGENCY INFORMATION FILE					
a. Emergency information on children accessible and complete (accessible from individual file). [3-4.7-42]					2
13. 470 IAC 3-4.7-48 CHILD/STAFF RATIOS AND SUPERVISION					
a. Child/staff ratios maintained during all hours. [3-4.7-48(a)]					1-5
b. Children under supervision of caregiver at all times. [3-4.7-48(e)]					*
c. At least two adults present during all hours of operation. [3-4.7-48(j)]					2
14. 470 IAC 3-4.7-53 REST PERIODS		T			
a. Individual blankets available / stored properly. [3-4.7-53 (c) and (d)]					2
b. Cots available for each child. [3-4.7-53(b)]					1
c. Cots properly spaced and sanitized. [3-4.7-53(b)(2) and (b)(3)]					1
15. 470 IAC 3-4.7-65 PETS		ı			
a. Pets properly housed / free from disease. No ferrets, turtles, reptiles, psittance birds (birds of the parrot family) or any wild or dangerous animal. [3-4.7-65(2), (4) and (5)]					2
16. 470 IAC 3-4.7-66 and IAC 3-4.7-68 PLAYGROUND AND OUTDOOR SAFETY					
a. Playground free from hazards. [3-4.7-66]					2
b. Playground well drained. [3-4.7-68(e)]					1
TOTAL					

17. 470 IAC 3-4.7-70 WATER PLAY AREAS	Yes	N/A	No	Repeat	
a. Portable fill and draw pools prohibited. [3-4.7-70(b)]					1
b. Water play tables maintained at 1 to 3 ppm chlorine solution. [3-4.7-70(a)]					1
c. Chlorine solution pool test kit available. [3-4.7-70 (a)]					1
d. Swimming pool fenced and locked when pool is not in use. [3-4.7-70(d)(2)]					1
e. Each swimming area must have a minimum of two (2) flotation devices. [3-4.7-70(c)(3)]					1
f. Staff certified in life saving present when swimming. [3-4.7-70(c)(5)]					2
g. Filled pool has a current permit from health department and verification of a weekly water sample from approved lab. [3-4.7-70(d)(1)]					2
h. Pool file maintained and includes:					1-3
1. Life Saving Certificate [3-4.7-70(c)(5)]					
2. Record of ph chlorine and sample reports. [3-4.7-70(a)]					
3. Parent Permission [3-4.7-70(c)(2)]					
18. 470 IAC 3-4.7-76 MENUS					
a. Food allergies / special diets posted and followed in kitchen where food is served. [3-4.7-76(d)]					1
b. Menu shows serving sizes, specific food items and times for all snacks and meals. [3-4.7-76(b)]					2
c. Menu changes recorded on the menu and kept on file for one (1) month. [3-4.7-76(c)]					2
19. 470 IAC 3-4.7-78 MEAL COMPONENTS					
a. Adequate menu posted. [3-4.7-78(a)]					2
b. Standardized recipes for protein dishes utilized. [3-4.7-78(f)]					1
c. All fruit juice shall be 100% pure fruit juice with no sugar added. [3-4.7-78(e)(1)]					1
d. All non-citrus juices shall be fortified with vitamin C. [3-4.7-78(e)(2)]					1
20. 470 IAC 3-4.7-79 MEAL EVALUATION					
Observed meal / snack:	□В	T Snad	ck		
List food served and portions of observed meals:		I			
a. 1. Protein source [3-4.7-79(d)] 2. Correct amount served [3-4.7-79(d)]					
1. First vegetable / salad [3-4.7-79(d)]					1
b. 2. Correct amount served [3-4.7-79(d)]					2
1. Second vegetable / salad [3-4.7-79(d)]					 1
C. 2. Correct amount served [3-4.7-79(d)]					2
1. Bread component [3-4.7-79(d)]					1
d. 2. Correct amount served [3-4.7-79(d)]					2
1. Milk [3-4.7-79(d)]					1
e. 2. Correct amount served [3-4.7-79(d)]					2
TOTAL					

20. 470 IAC 3-4.7-79 MEAL EVALUATION (continued)	Yes	N/A	No	Repeat	
Observed meal / snack: Breakfast AM Snack Lunch PM Snack Dinner	□В	T Snac	ck		
List food served and portions of observed meals:  1. Juice [3-4.7-79(d)]					
f.					1
2. Correct amount served [3-4.7-79(d)]					2
g. Additional servings available. [3-4.7-79(b)]					1
h. The center shall not serve food items served in a home kitchen at any time, except with the physician's written order, a particular child's specific diet, or religious beliefs. [3-4.7-82(d)]					2
i. Staff supervise / assist children during meal service. [3-4.7-79(i)]					1
j. Appropriate size cups / glasses used. [3-4.7-79(m)]					1
k. The center shall use divided plates for children two (2) years of age and younger. [3-4.7-79(n)]					1
I. Child-size tables and chairs used. [3-4.7-79(m)]					1
m. Food is covered while stored or while being transported. [3-4.7-79(f)]					1
n. Potentially hazardous foods are at 41° F or less; or at 135° F or more during handling and storage. [3-4.7-79(e)]					*
21. 470 IAC 3-4.7-82 SPECIAL DIETS					
a. Substitutions written on a menu for all children with dietary restrictions. [3-4.7-82(b)]					1
<ul> <li>For special diets due to medical reasons or allergic reactions, the center shall provide meals and snacks in accordance with the child's needs. [3-4.7-82(c)]</li> </ul>					2
c. Special diets due to religious or personal reasons have a written statement from parents. [3-4.7-82(d)]					2
d. Food provided from home has a "Safe Transportation of Food Responsibility" form signed by the parent. [3-4.7-82(f)]					2
e. All food free from damage and contamination. [3-4.7-82(g)]					2
22. 470 IAC 3-4.7-83 VENDOR SERVICE					
a. Current completed and signed contract on file. Effective dates:					2
Name of vendor: [3-4.7-83(a)]					
b. Written procedure of self-vending. [3-4.7-83(b)(c)(d)(e)]					2
Site of food preparation:					_
c. Food temperature verified upon arrival and before serving. [3-4.7-83(c)]					2
d. Transport equipment sanitizable / maintains temperature. [3-4.7-83(b)]					2
e. Food covered while stored or while transported. [3-4.7-79(I)]					2
f. Time as a public health control: [410 IAC 7-24]					
1. Written procedure on file from Vendor. [Sec. 175(a)(4)]					1
2. Food packs labeled with temperature, pack time and "use by" time. [Sec. 175(a)(1) and (2)]					2
3. Food discarded after four (4) hours. [Sec. 175(a)(3)]					*
TOTAL					

23. 470 IAC 3-4.7-85 ADULT HEALTH REQUIREMENTS	Yes	N/A	No	Repeat	
a. Within thirty (30) days of employment and no earlier than twelve (12) months prior to hire, staff, voluntee and any other personnel having direct contact with children or providing food service shall have the follows:		ostitute	s, stu	dent aid	es,
1. Record of physical. [3-4.7-85(I)]					1-5
2. Record of a Mantoux skin test, results recorded in millimeters. [3-4.7-85(2)]					1-5
3. If positive, a negative chest X-ray and/or health professional statement. [3-4.7-85(3)]					1-5
4. Record of an annual health assessment for persons with a positive Mantoux or a history of Tuberculosis. [3-4.7-85(4)]					1-5
24. 470 IAC 3-4.7-90 UNIVERSAL PRECAUTION SUPPLIES					
a. Documentation of Universal Precaution training at employment annually. [3-4.7-32(a)(7)]					1-5
b. Universal Precaution supplies shall be available to all staff:					1-5
1. Disposable gloves [3-4.7-90(1)]					
2. Plastic bags [3-4.7-90(2)]					
3. Chlorine bleach and/or other approved disinfectant [3-4.7-90(3)]					
4. CPR barrier mask [3-4.7-90(4)]					
25. 470 IAC 3-4.7-91 EMERGENCY EQUIPMENT AND PROCEDURES					
<ul> <li>a. A first aid manual, equivalent to the Red Cross First Aid manual, shall be immediately available for staff use. [3-4.7-91(c)]</li> </ul>					2
b. First aid supplies as specified by the center's health consultant shall be available to all staff and inaccessible to children. The first aid kit, at a minimum, shall consist of the following:					1-5
1. Sheer strip bandages [3-4.7-91(d)(1)]					
2. Sterile bandages and compresses [3-4.7-91(d)(2)]					
3. Adhesive tape [3-4.7-91(d)(3)]					
4. Scissors [3-4.7-91(d)(4)]					
5. Flashlight [3-4.7-91(d)(5)]					
6. Thermometer [3-4.7-91(d)(6)]					
7. Disposable gloves [3-4.7-91(d)(7)]					
8. Mild soap [3-4.7-91(d)(8)]					
26. 470 IAC 3-4.7-93 CHILD HYGIENE					
a. Correct handwashing by children. [3-4.7-93(a)]					2
b. Faucet and sink sanitized before tooth brushing if located in toilet room. [3-4.7-93(c)(6)]					2
c. Personal belongings stored separate / apart / extra clothing available. [3-4.7-111(d) and 3-4.7-93(b)]					2
27. 470 IAC 3-4.7-94 / 470 IAC 3-4.7-95 DIAPERING					
a. Sink within ten (10) feet of the changing table. [3-4.7-94(h)]					2
b. Diaper bags inaccessible to children. [3-4.7-94(a)]					1
TOTAL					

27.	470 IAC 3-4.7-94 / 470 IAC 3-4.7-95 DIAPERING (continued)	Yes	N/A	No	Repeat	
c.	Correct hand washing by staff. [3-4.7-94(e)(2)(A)]					*
d.	Changing table has a soft sanitizable pad and clean strip of waterproof disposable paper. [3-4.7-94(n)]					2
e.	Changing table / pad sanitized daily and when soiled. [3-4.7-94(p)]					2
f.	Diaper table not used for other purpose. [3-4.7-94(j)]					2
g.	Disposable diapers received in unopened packages labeled and stand off the floor. [3-4.7-94(c)]					2
h.	Disposable diapers labeled and stored off the floor. [3-4.7-94(d)]					1
i.	Physician approved skin care procedure practiced. [3-4.7-94(f)(3)]					2
j.	Soiled diapers / wash cloths kept in tightly covered container / emptied daily. [3-4.7-95(a)]					2
	Cloth diapers provided by center use commercial diaper laundry service, wash cloths and sheets laundered correctly by center. [3-4.7-96(e)]					1
l.	Separate changing area and diaper changing table for two-year-olds. [3-4.7-94(f)(1)]					1
m.	Provide a shielded or private area for diapering children three (3) years of age and older. [3-4.7-94(f)(4)]					2
28.	470 IAC 3-4.7-98 STAFF HYGIENE					
a.	Proper hand washing by staff. [3-4.7-98(a)]					*
b.	Staff who prepare food do not change diapers. [3-4.7-98(d)]					2
	Food service personnel wear clean aprons or smocks and hair restraints while in kitchen and serving food. [3-4.7-98(f)]					2
29.	470 IAC 3-4.7-99 BUILDING MAINTENANCE					
a.	Walls / ceilings light colors. Washable. [3-4.7-99(e)]					1-2
b.	Carpeting firmly secured. [3-4.7-99(g)]					1
C.	Floors smooth and washable. [3-4.7-99(f)]					1
d.	Sweeping, dusting while unoccupied. [3-4.7-99(j)]					1
e.	Premises clean / neat / orderly sanitary condition. [3-4.7-99(i)(1), (2), (3) and (4)]					1-10
f.	Equipment clean, sturdy and safe. [3-4.7-99(a)]					*
g.	Building in safe condition. [3-4.7-99(a)]					*
h.	Premises in good repair. [3-4.7-99(c)]					1-10
i.	Exit areas clear of equipment, debris and other objects. [3-4.7-99(k)]					2
30.	470 IAC 3-4.7-100 POISONS, CHEMICALS AND HAZARDOUS ITEMS					
a.	Hazardous articles inaccessible to children (radiators, hot pipes, purses). [3-4.7-100(g)]					2
31.	470 IAC 3-4.7-101 ELECTRIC SAFETY					
a.	Protective covers on electrician outlets. [3-4.7-101(b)]					2
b.	Extension cords prohibited. [3-4.7-101(a)]					1
	TOTAL					

b. Sixty-eight degrees F (68 °F) or more within two (2) feet of floor. [3-4.7-106(e)] 2  c. Maintain a temperature of not more than 78 °F. [3-4.7-106(f)] 2  d. Sixteen (16) gauge mesh screens on all outside windows and doors when open. [3-4.7-106(g)] 2  34. 470 IAC 3-4.7-109 GARBAGE AND REFUSE  a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)] 1  b. Outside trash receptical lightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)] 1  53. 470 IAC 3-4.7-113 BATHROOMS  a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(l)] 1  b. Disposable towels, soap and tollet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h), (l) and (l)] 1  c. Bathroom walls / floors sealed. [3-4.7-113(m)] 1  d. Bathrooms clean and sanitizable. [3-4.7-113(m)] 1  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)] 1  f. School-age facilities separate for each sex. [3-4.7-113(c)] 1  g. Separate bathroom provided for staff. [3-4.7-113(k)] 1  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) 1  feet from room or area. [3-4.7-113(e)] 1  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)] 1  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83) 1  b. Vacuum breakers as needed. [3-4.7-114(e)]	31. 470 IAC 3-4.7-101 ELECTRICAL SAFETY (continued)	Yes	N/A	No	Repeat	
a. Storage areas and furnace rooms clean and free from clutter. [3-4.7-102(e)] 2 33. 470 IAC 3-4.7-106 HEAT, LIGHT, VENTILATION, AND AIR CONDITIONING a. Propor illumination of footcandiss in each area. [3-4.7-105(b)] 1-2 b. Sixty-eight degrees F (68 °F) or more within two (2) feet of floor. [3-4.7-106(e)] 2 c. Maintain a temperature of not more than 78 °F. [3-4.7-106(f)] 2 d. Sixteen (16) gauge mesh screens on all outside windows and doors when open. [3-4.7-106(g)] 2 34. 470 IAC 3-4.7-109 GARBAGE AND REFUSE a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(s)] 1 b. Outside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(s)] 1 c. Disposable trash receptical lightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)] 3 a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(l)] 1 b. Disposable towels, soap and toliet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h)] 1 d. Bathroom walls / floors sealed. [3-4.7-113(n)] 1 d. Bathroom valls / floors sealed. [3-4.7-113(n)] 1 d. Bathroom clean and sanitizable. [3-4.7-113(n)] 1 d. School-age facilities separate for each sex. [3-4.7-113(c)] 1 f. School-age facilities separate for each sex. [3-4.7-113(b)] 1 g. Separate bathroom provided for staff. [3-4.7-113(b)] 1 h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) 1 feet from room or area. [3-4.7-113(b)] 1 j. All items in the bathroom must be sanitizable. [3-4.7-113(n)] 1 j. All items in the bathroom must be sanitizable. [3-4.7-113(n)] 1 j. All items in the bathroom must be sanitizable. [3-4.7-114(g)] 1 j. Exterior 2 c. Operation of sewage disposal system. [3-4.7-114(p)] 2 c. Operation of sewage disposal system. [3-4.7-114(p)] 2 c. Plumbing fixtures in good repair. [3-4.7-114(h)] 2 f. Plumbing fixtures in good repair. [3-4.7-114(h)] 1-2 g. Fountain / dinkning water available or single use cups available / dispensed in a sanitary manner. [3-4.7-11	c. Prohibited heat sources not used. [3-4.7-105]					1
33. 470 IAC 3-4.7-106 HEAT LIGHT, VENTILATION, AND AIR CONDITIONING a. Proper illumination of footcandles in each area. [3-4.7-106(b)] b. Sixty-eight degrees F (68 °F) or more within two (2) feet of floor. [3-4.7-106(e)] c. Maintain a temperature of not more than 78 °F. [3-4.7-106(f)] d. Sixteen (16) gauge mesh screens on all outside windows and doors when open. [3-4.7-106(g)] 2. 34. 470 IAC 3-4.7-109 GARBAGE AND REFUSE a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)] b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)] 3. 470 IAC 3-4.7-113 BATHROOMS a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(b)] b. Disposable towels, soop and tollet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h)] i. Bathroom walls /floors sealed. [3-4.7-113(m)] d. Bathroom walls /floors sealed. [3-4.7-113(m)] 1. C. Bathroom walls /floors sealed. [3-4.7-113(m)] 1. C. School-age facilities separate for each sex. [3-4.7-113(c)] 1. School-age facilities separate for each sex. [3-4.7-113(c)] 1. Two sclass toilet, lavatory opens directly into room (if licensed after 12-1-86) or no more than ten (10) leaf from room or area. [3-4.7-113(b)] 1. All items in the bathroom must be sanitizable. [3-4.7-113(n)] 1. All items in the bathroom must be sanitizable. [3-4.7-113(n)] 1. C. Operation of sewage disposal system. [3-4.7-114(g)] 1. Exterior 2. Interior 4. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)] 2. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)] 2. Plumbing fixtures in good repair. [3-4.7-114(h)] 2. Furnibing fixtures in good repair. [3-4.7-114(h)] 3. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. 3. Sufficient hot and cold water at each	32. 470 IAC 3-4.7-102 COMBUSTIBLE MATERIALS					
a. Proper illumination of footcandles in each area. [3-4,7-106(b)]   1-2     b. Sixty-eight degrees F (68 °F) or more within two (2) feet of floor. [3-4,7-106(e)]   2     c. Maintain a temperature of not more than 78 °F. [3-4,7-106(f)]   2     d. Sixteen (16) gauge mesh screens on all outside windows and doors when open. [3-4,7-106(g)]   2     34. 470 IAC 3-4,7-109 GARBAGE AND REFUSE   3     a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4,7-109(a)]   1     b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4,7-108(b)]   1     b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4,7-108(g)]   1     b. Disposable towels, soap and toilet paper provided / dispensed in a sanitary manner and within reach. [3-4,7-113(h), (i) and (j)]   1     c. Bathroom wells / floors seated. [3-4,7-113(n)]   1     d. Bathrooms clean and sanitizable. [3-4,7-113(n)]   1     e. Sanitizable partition between toilets for school-age children. [3-4,7-113(d)]   1     f. School-age facilities separate for each sex. [3-4,7-113(c)]   1     g. Separate bathroom provided for staff. [3-4,7-113(c)]   1     g. Separate bathroom provided for staff. [3-4,7-113(c)]   1     j. All items in the bathroom must be sanitizable. [3-4,7-113(c)]   1     j. All items in the bathroom must be sanitizable. [3-4,7-113(n)]   1     j. All items in the bathroom must be sanitizable. [3-4,7-113(n)]   1     j. All items in the bathroom must be sanitizable. [3-4,7-113(n)]   2     j. All items in the bathroom was the sanitizable. [3-4,7-114(d)]   *  c. Operation of sewage disposal system. [3-4,7-114(g)]   1    d. Approved hot water control valve / hot water between 100° - 120° F. [3-4,7-114(d)]   *  e. Sufficient hot and cold water at each handwashing sink. [3-4,7-114(c)]   2    f. Plumbing fixtures in good repair. [3-4,7-114(h)]   1-2    g. Fourtain of drinking water available or single use cups available / dispensed in a sanitary manner	a. Storage areas and furnace rooms clean and free from clutter. [3-4.7-102(e)]					2
b. Sixty-eight degrees F (68 °F) or more within two (2) feet of floor. [3-4.7-106(e)] 2 c. Maintain a temperature of not more than 78 °F. [3-4.7-106(f)] 2 d. Sixteen (16) gauge mesh screens on all outside windows and doors when open. [3-4.7-106(g)] 2 3. 470 IAC 3-4.7-109 GARBAGE AND REFUSE a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)] 1 b. Outside trash receptical tightity covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)] 1 1 b. Outside trash receptical tightity covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)] 1 1 b. Disposable towels, soap and foilet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h)] 1 1 b. Disposable towels, soap and foilet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h)] 1 1 c. Bathroom walls / floors scaled. [3-4.7-113(m)] 1 1 d. Bathrooms clean and sanitizable. [3-4.7-113(m)] 1 1 d. Bathrooms clean and sanitizable. [3-4.7-113(n)] 1 1 e. School-age facilities separate for each sex. [3-4.7-113(c)] 1 1 f. School-age facilities separate for each sex. [3-4.7-113(c)] 1 1 f. Word class foilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) 1 1 f. Thid-size toilets / wash basins or steps / platforms. [3-4.7-113(o)] 1 1 i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)] 1 2 i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)] 1 3 d. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING 1 3 d. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING 1 4 c. Operation of sewage disposal system. [3-4.7-114(p)] 2 5 d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)] 2 6 e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)] 2 7 f. Plumbing fixtures in good repair. [3-4.7-114(h)] 3 7 d. 470 IAC 3-4.7-115 DRINKING WATER 3 8 Fountsin / drinking water available or single use cups available / dispensed in a sanitary manner. [2-4.7-115	33. 470 IAC 3-4.7-106 HEAT, LIGHT, VENTILATION, AND AIR CONDITIONING					
c. Maintain a temperature of not more than 78 °F. [3-4.7-106(f)]  d. Sixteen (16) gauge mesh screens on all outside windows and doors when open. [3-4.7-106(g)]  24. 470 1AC 3-4.7-109 GARBAGE AND REFUSE  a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)]  b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-108(g)]  35. 470 1AC 3-4.7-108 BATHROOMS  a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(iii)]  b. Disposable towels, soap and tollet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-1113(h), 0) and (iii)  c. Bathroom walls / floors sealed. [3-4.7-113(m)]  d. Bathroom walls / floors sealed. [3-4.7-113(m)]  1 e. Sanitizable partition between tollets for school-age children. [3-4.7-113(d)]  1 f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class tollet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) feet from room or area. [3-4.7-113(g)]  i. Child-size tollets / wash basins or steps / platforms. [3-4.7-113(o)]  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  d. Approved hot water control valve / hot water between 100°-120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  3. 470 IAC 3-4.7-115 DRINKING WATER  a. Fourtain of drinking water available or single use cups available / dispensed in a sanitary manner.  2 f. Fourtain of drinking water available or single use cups available / dispensed in a sanitary manner.	a. Proper illumination of footcandles in each area. [3-4.7-106(b)]					1-2
d. Sixteen (16) gauge mesh screens on all outside windows and doors when open. [3-4.7-106(g)] 2  34. 470 IAC 3-4.7-109 GARBACE AND REFUSE  a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)] 1  b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)] 1  35. 470 IAC 3-4.7-113 BATHROOMS  a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(h)] 1  b. Disposable towels, soap and tollet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h), (i) and (ji)] 1  c. Bathroom walls / floors sealed. [3-4.7-113(m)] 1  d. Bathrooms clean and sanitizable. [3-4.7-113(m)] 1  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)] 1  f. School-age facilities separate for each sex. [3-4.7-113(c)] 1  g. Separate bathroom provided for staff. [3-4.7-113(c)] 1  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) 1  feet from room or area. [3-4.7-113(g)] 1  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)] 1  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)] 1  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83) 1  b. Vacuum breakers as needed. [3-4.7-114(e)] 1  c. Operation of sewage disposal system. [3-4.7-114(g)] 1  i. Exterior 2. Interior 1  d. Approved hot water control valve / hot water between 100°-120° F. [3-4.7-114(d)] 2  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)] 1  f. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. [2-4.7-115(b)] 2	b. Sixty-eight degrees F (68 °F) or more within two (2) feet of floor. [3-4.7-106(e)]					2
34. 470 IAC 3-4.7-109 GARBAGE AND REFUSE  a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)]  b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)]  35. 470 IAC 3-4.7-113 BATHROOMS  a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(l)]  b. Disposable towels, soap and foilet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h), (i) and (j)]  c. Bathroom walls / floors sealed. [3-4.7-113(m)]  d. Bathroom sclean and sanitizable. [3-4.7-113(n)]  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]  f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10)  feet from room or area. [3-4.7-113(k)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  2	c. Maintain a temperature of not more than 78 °F. [3-4.7-106(f)]					2
a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)]  b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)]  3. 470 IAC 3-4.7-113 BATHROOMS  a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(l)]  b. Disposable towels, soap and toilet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(n), (i) and (j)]  c. Bathroom walls / floors sealed. [3-4.7-113(m)]  d. Bathrooms clean and sanitizable. [3-4.7-113(n)]  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]  f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10)  feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  2						2
b. Outside trash receptical tightly covered to prevent harborage of insects, rodents, and other pests. [3-4.7-109(b)]  35. 470 IAC 3-4.7-113 BATHROOMS  a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(l)]  b. Disposable towels, soap and tollet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h), (i) and (j)]  c. Bathroom walls / floors sealed. [3-4.7-113(m)]  d. Bathrooms clean and sanitizable. [3-4.7-113(m)]  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]  f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.	34. 470 IAC 3-4.7-109 GARBAGE AND REFUSE	T	<u> </u>			
[3-4.7-109(b)] 35. 470 IAC 3-4.7-113 BATHROOMS  a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(l)] b. Disposable towels, soap and toilet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(h), (i) and (ji)] c. Bathroom walls / floors sealed. [3-4.7-113(m)] d. Bathrooms clean and sanitizable. [3-4.7-113(m)] 1 e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)] 1 f. School-age facilities separate for each sex. [3-4.7-113(c)] 1 g. Separate bathroom provided for staff. [3-4.7-113(k)] 1 h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) feet from room or area. [3-4.7-113(g)] 1 i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)] 1 j. All items in the bathroom must be sanitizable. [3-4.7-113(n)] 3. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING a. Utility sink or curbed cleaning facility (if licensed after 11-3-83) 1 b. Vacuum breakers as needed. [3-4.7-114(e)] 1. Exterior 2. Interior d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)] 2. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)] 3. 470 IAC 3-4.7-115 DRIINKING WATER a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	a. Inside trash and refuse stored correctly, close fitting solid lids. [3-4.7-109(a)]					1
a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(I)]  b. Disposable towels, soap and toilet paper provided / dispensed in a sanitary manner and within reach. [3-4.7-113(I), (I) and (I)]  c. Bathroom walls / floors sealed. [3-4.7-113(IIII)]  d. Bathrooms clean and sanitizable. [3-4.7-113(IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	[3-4.7-109(b)]					1
b. Disposable towels, soap and toilet paper provided / dispensed in a sanitary manner and within reach.  [3-4.7-113(h), (i) and (j)]  c. Bathroom walls / floors sealed. [3-4.7-113(m)]  d. Bathrooms clean and sanitizable. [3-4.7-113(n)]  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]  f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10)  feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  d. Approved hot water control valve / hot water between 100°- 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h]]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	35. 470 IAC 3-4.7-113 BATHROOMS	Т				
[3-4.7-113(h), (i) and (ji)]  c. Bathroom walls / floors sealed. [3-4.7-113(m)]  d. Bathrooms clean and sanitizable. [3-4.7-113(n)]  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]  f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(c)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100°- 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	a. Handwashing sinks fastened / sealed to wall. [3-4.7-113(I)]					1
d. Bathrooms clean and sanitizable. [3-4.7-113(n)]  e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]  f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100°- 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(e)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  2						1
e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]  f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	c. Bathroom walls / floors sealed. [3-4.7-113(m)]					1
f. School-age facilities separate for each sex. [3-4.7-113(c)]  g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10)  feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100°- 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. [2	d. Bathrooms clean and sanitizable. [3-4.7-113(n)]					1
g. Separate bathroom provided for staff. [3-4.7-113(k)]  h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10)  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100°- 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  2	e. Sanitizable partition between toilets for school-age children. [3-4.7-113(d)]					1
h. Two's class toilet, lavatory opens directly into room (if licensed after 12-1-85) or no more than ten (10) feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. [2-4.7-115(b)]	f. School-age facilities separate for each sex. [3-4.7-113(c)]					1
feet from room or area. [3-4.7-113(g)]  i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]  j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. [3-4.7-115(b)]	g. Separate bathroom provided for staff. [3-4.7-113(k)]					1
j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]  36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  2	h. Two's class toilet, lavatory opens directly into room ( <i>if licensed after 12-1-85</i> ) or no more than ten (10) feet from room or area. [3-4.7-113(g)]					1
36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING  a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100°- 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. [3-4.7-115(b)]	i. Child-size toilets / wash basins or steps / platforms. [3-4.7-113(o)]					1
a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)  b. Vacuum breakers as needed. [3-4.7-114(e)]  c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. [3-4.7-115(b)]	j. All items in the bathroom must be sanitizable. [3-4.7-113(n)]					1
b. Vacuum breakers as needed. [3-4.7-114(e)]	36. 470 IAC 3-4.7-114 WATER SUPPLY AND PLUMBING					
c. Operation of sewage disposal system. [3-4.7-114(g)]  1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	a. Utility sink or curbed cleaning facility (if licensed after 11-3-83)					1
1. Exterior  2. Interior  d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]  e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	b. Vacuum breakers as needed. [3-4.7-114(e)]					*
d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]   e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]   f. Plumbing fixtures in good repair. [3-4.7-114(h)]   1-2  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner. [3-4.7-115(b)]						*
e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]  f. Plumbing fixtures in good repair. [3-4.7-114(h)]  1-2  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	2. Interior					
f. Plumbing fixtures in good repair. [3-4.7-114(h)]  37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	d. Approved hot water control valve / hot water between 100° - 120° F. [3-4.7-114(d)]					*
37. 470 IAC 3-4.7-115 DRINKING WATER  a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	e. Sufficient hot and cold water at each handwashing sink. [3-4.7-114(c)]					2
a. Fountain / drinking water available or single use cups available / dispensed in a sanitary manner.  [3-4.7-115(b)]	f. Plumbing fixtures in good repair. [3-4.7-114(h)]					1-2
[3-4.7-115(b)]						
TOTAL						2
	TOTAL					

38. 470 IAC 3-4.7-116 KITCHEN AND FOOD PREPARATION AREAS	Yes	N/A	No	Repeat	
a. Copy of SBH Rule 410 IAC 7-24 in kitchen. [3-4.7-116(a)]					1
b. Dishes, pots, pans and utensils stored in a manner that protects them from contamination. [3-4.7-116(n)]					1
c. Bulk food containers clean and labeled. [410 IAC 7-24]					1
d. Kitchen clean and in a sanitary condition. [410 IAC 7-24]					1-10
e. Handwashing sink in kitchen / equipped with soap and disposable towels. [3-4.7-116(p)]					2
f. Kitchen walls and ceilings smooth / easily cleanable. [3-4.7-116(k)]					1
g. Stove provided if meals prepared. [3-4.7-116(t)]					2
h. Food preparation and eating surfaces / high chair trays sanitized. [3-4.7-116(i)]					2
i. Kitchen is not a throughway. [3-4.7-116(e)]					2
j. No unauthorized personnel in kitchen. [3-4.7-116(g)]					1
k. Food storage shelving of nonabsorbent material and six (6) inches above floor. [3-4.7-116(k)]					2
Food served is palatable and reasonable quality. [3-4.7-78(a)]					1
m. Refrigerator: Thermometer present, 40 °F or less and in position for daily monitoring. [3-4.7-116(s)]					1
n. Freezer: Thermometer present, 0 °F or less and in position for daily monitoring. [3-4.7-116(s)]					1
o. Storage of food and supplies correct. [410 IAC 7-24]					1
p. Metal dial-type thermometer (0 °F - 220 °F) available. [3-4.7-83(c)]					2
q. Once served, leftover food discarded. [3-4.7-80(d)]					2
r. All food from approved source / not homemade. [3-4.7-79(o)]					2
s. Chemical sanitizer test kit provided / solution correct. [3-4.7-240]					2
39. 470 IAC 3-4.7-119 MANUAL DISHWASHING					
a. Correct dishwashing practices (including vending) [3-4.7-116(I) and (m)]					1-10
b. Single service articles are not reused. [3-4.7-262(a)]					2
40. 470 IAC 3-4.7-118 PEST PREVENTION					
a. Rodent / insect control. [3-4.7-118(a)]					2
b. Sealed around pipes, plumbing and ducts, cracks and holes. [3-4.7-118(a)(2) and (3)]					2
TOTAL					

INFANT / TODDLER	W				
1. 470 IAC 3-4.7-122 INFANT / TODDLER CHARTS AND RECORDS	Yes	N/A	No	Repeat	
a. Daily records on each infant / toddler kept one (1) month, available to parents. [3-4.7-122(b)]					1
2. 470 IAC 3-4.7-126 INFANT PROGRAM					
a. Infants out of crib when awake. [3-4.7-126(4)]					2
3. 470 IAC 3-4.7-129 INFANT ROOM FURNISHINGS					2
a. Each room has a changing table / changed in own crib. [3-4.7-129(a)(3)]					
b. Rocking chairs: one per staff for infant. [3-4.7-129(a)(2)]					1
c. One rocking chair provided in toddler room. [3-4.7-130 (a)(3)]					2
d. Mesh cribs and play pens, cradles, beanbag chairs and bassinets prohibited. [3-4.7-129(b)]					1
4. 470 IAC 3-4.7-131 INFANT / TODDLER EQUIPMENT					
a. Diaper bags, car seats not in room. [3-4.7-131(c)]					2
b. All areas / surfaces / articles children in contact with, include cribs / cots / changing tables / toys, are safe and sanitizable. [3-4.7-131(b), (d), (e), and (g)]					2
c. Enclosed outdoor activity area. [3-4.7-131(i)]					2
5. 470 IAC 3-4.7-134 INFANT FEEDING					
a. Infant held by caregiver while bottle fed. [3-4.7-134(j)]					2
b. Feeding plan for each infant current / used / posted. [3-4.7-134(d) and (f)]					2
c. Feeding bottles not propped. [3-4.7-134(j)]					*
6. 470 IAC 3-4.7-135 INFANT FOOD PREPARATION AND STORAGE					
a. Open containers of baby food shall be covered, dated, and contents discarded within twenty-four (24) hours. [3-4.7-139(b)]					1
b. If a day's supply of bottles is prepared at one (1) time, each bottle shall be covered and labeled with the child's name, date and time poured. [3-4.7-135(g)]					1
c. Prepared bottles shall be refrigerated and used within twenty-four hours. [3-4.7-135(h)]					1
d. Formula that remains in the original container used within 48 hours. [3-4.7-135(i)]					2
e. Contents of bottle discarded after feeding. [3-4.7-135(j)]					2
f. Pre-mixed / ready-to-feed / commercial formula or physician's statement on file for powdered formula. [3-4.7-135(b)]					2
g. Acceptable baby food / formula dates. [3-4.7-135(c)]					2
h. Heating unit for warming bottles and food in infant room accessible only to staff. [3-4.7-135(d)]					1
i. Refrigerator located in infant preparation room. [3-4.7-135(f)]					2
j. Correct procedure followed for filled bottles supplied by parents. [3-4.7-135(k)]					1-3
k. Correct bottle sterilizing procedure followed					*
7. 470 IAC 3-4.7-136 BREAST MILK					
a. Correct breast milk procedure / storage and heating. [3-4.7-136]					2
8. 470 IAC 3-4.7-139 INFANT SOLID FOODS					
a. Correct feeding from baby food jar. [3-4.7-139(c) and (d)]					1
TOTAL					
12	-				

9. 470 IAC 3-4.7-140 TODDLER FEEDING	Yes	N/A	No	Repeat	
a. Toddler fed in own room. [3-4.7-140(d)]					1
b. High chairs and feeding tables with safety belts. [3-4.7-140(f)]					2
c. Toddler menu meets requirements. [3-4.7-140(a)]					1
d. Appropriate food served to toddlers. [3-4.7-140(o)]					1
e. Toddler-sized table and chairs used. [3-4.7-140(e)]					1
f. Toddler-sized feeding spoons, training cups, divided dishes used. [3-4.7-140(h) and (k)]					1
10. 470 IAC 3-4.7-141 INFANT / TODDLER SLEEPING					
a. Infant placed on back or sides in their cribs for sleeping. [3-4.7-141(b)]					2
b. Cribs / mattress sizes correct / good state of repair / safety latch secure. [3-4.7-141(f)]					2
c. Cots and cribs (three (3) feet between) spaced correctly. [3-4.7-141(i)]					1
d. Sheets changed daily / extra supply of bedding and washcloths available. [3-4.7-141(o) and (r)]					2
e. Cribs sanitized daily. [3-4.7-141(m)]					1
11. 470 IAC 3-4.7-143 INFANT / TODDLER ROOMS; GENERAL					
a. Infant / toddler rooms have floor-to-ceiling walls and full doors. [3-4.7-143(b)]					1
b. Infant and toddler rooms not used as throughways. [3-4.7-143(c)]					2
c. Floor surfaces cleaned daily. [3-4.7-143(d)(4)]					1
d. Throw rugs prohibited. [3-4.7-143(d)(2)]					1
e. Under and two (2) feet around area used for diapering, feeding and food preparation is not carpeted. [3-4.7-143(d)(5)]					1
f. Each infant / toddler room must have a lavatory. [3-4.7-143(e) and (f)]					1
g. A toilet with a door that opens directly into the toddler room. [3-4.7-143(g)]					1
TOTAL					

SCORING									
Section Name	Possible Points	N/A Points ( - )	Remaining Points	"No" Points (-)	Number of Items With * Marked No X 5( - )	Number of Repeat Noncompliances X 5( - )	Total Points		
I. Day Care	229								
II. Infants - Toddlers	60								
TOTALS	287								

ASTERISKED ITEMS						
Children under staff supervision	Medications, poisons, chemicals, etc. locked					
Building in safe condition	First aid training					
Staff handwashing, food handlers	Staff handwashing, diapering					
Hot water temperature	Children under direct supervision (infants / toddlers)					
Siphon breaker	Bottles, etc. sanitized (infants / toddlers)					
Sewage	Bottles not propped (infants / toddlers)					
Correct temperature of potentially hazardous food	Pediatric CPR (present at all hours)					
Dishwashing correct	Equipment clean, sturdy and safe					
Time / Temperature control food discarded after 4 hours						
Total Points divided by Remaining Points						
Percentage:%	Pass or Not Pass					
I understand that all cited health and training records must be submitted w	thin 30 days.					
Signature of provider	Date (month, day, year)					
Signature of surveyor	Date (month, day, year)					

STAFF DEFICIENCY HEALTH RECORDS WORKSHEET									
Name of Person	Code *	Date of Employment	Physical Examination	Current Mantoux	Nutrition / Sanitation Training Verified	Universal Precautions	First Aid	CPR	
Total number of health records	s examined				Total of staff				
* <b>Code</b> : D = Driver; C = C		ener: I/T = Infant	/ Toddler: FS = F	ood Service					

<sup>\*</sup> Code: D = Driver; C = Closer; O = Opener; I/T = Infant / Toddler; FS = Food Service

DAY C		'S DEFICIE	NCY HEALT	H RECORDS \	WORKSHEE	ET		= Deficiency
Name (Initials)	Date of Enrollment	Injury / Incident Record	Medication Order / Record Log	Complete Physical Examination Includes Health Statement	Immunization	Annual Physical for Children 2 Years of Age and Younger	Current Feeding Plan	Daily Needs
NUMBER OF RECORDS CHECKED Infant / Toddler								
2's	-							
3-12	TOTAL NUM	MBER OF HEA	ALTH					
Alphabet sample (ex: a-d etc.)					•			