



NOTIFICATION OF LEAD ABATEMENT ACTIVITIES

State Form 49150 (R11 / 2-23)
INDIANA DEPARTMENT OF HEALTH

INSTRUCTIONS:

1. This State form, 49150 must be used to notify of lead abatement activities pursuant to 410 IAC 32. If accessing this form on-line at the URL listed above, you may print the blank form and fill it out by hand for submission with original signatures.
2. Submit **one** notification form for **each project** for which you are seeking approval. The cost is \$ 50.00 per notification.
3. **Please type or print in ink.**
4. Return this form, required addenda, and check or money order made payable to "IDH Lead and Healthy Homes Program" by mail to:
**Indiana Department of Health
Attention: Lead and Healthy Homes
2 North Meridian Street, 7th Floor
Indianapolis, Indiana 46204**
5. Notification is only required when a project's activities are designed to permanently eliminate Lead based paint hazards.
6. Section I: Type of Notification-410 IAC 32-4-6
 - A. If this is the original notice, please check the appropriate space on the notification form.
 - B. If this is a revised notice, please check the appropriate space on the notification form. The revised notice must be postmarked at least 5 working days or delivered at least 2 working days before the start date of lead abatement activity. Facsimiles will be accepted by the IDH.
 - C. All revisions must include a copy of the notice being revised.
 - D. If this is a cancelled notice, please check the appropriate space on the notification form.
 - E. Courtesy Notification.
7. Section II: Facility Information-410 IAC 32-4-6(1)(D)
 - A. Either the owner or operator must submit the notice.
 - B. The owner means the individual(s) who own the property or lease the property.
 - C. The operator means the lead abatement contractor.
 - D. Specify the name, address, telephone number, Indiana license number and license expiration date, of the:
 1. lead abatement contractor; and 2. the risk assessor or lead inspector who conducted the inspection prior to abatement
8. Section III: Type of Operation-410 IAC 32-4-6(2)(D)
 - A. Refer to the definitions of encapsulation, enclosure and emergency abatement in 410 IAC 32-1.
 - B. Owner/Operator must also complete Section XIII of notification form.
9. Section IV: Procedures, Including Analytical Methods Used To Detect the Presence and Amounts of Lead Based Paint.-410 IAC 32-4-6(2)(F)
10. Section V: Approx. Amounts of Lead To Be Removed - 410 IAC 32-4-6(2)(G)
Specify the amount of Lead Based paint to be removed in terms of linear feet or square feet on facility components.
11. Section VI: Scheduled Dates of Lead Based Paint Removal - 410 IAC 32-4-6(2)(I)
This means the actual start and end date of lead-based paint hazard remediations in the work area.
12. Section VII: Facility Description - 410 IAC 32-4-6(2)(E) and (H)
Provide enough detail that an unfamiliar inspector can find the abatement without asking anyone.
13. Section VIII: Description of planned activity work to be performed and methods to be employed - 410 IAC 32-4-6(2)(J)
Briefly describe the methods to be used such as encapsulation, enclosure, heat scrapping, etc., list the affected facility components such as doors, windows, and floors.
14. Section IX: Description of work practice and engineering controls to be used - 410 IAC 32-4-6(2)(K)
Examples of work practices and engineering controls to prevent lead emissions at the site would include: the use of water or wetting agents, containments, and negative air units during removal; daily clean up, placing waste into leak tight containers and secure storage.
15. Section X: Description of procedures to be followed in the event that unexpected lead-based paint becomes a lead based hazard and warrants immediate action. 410 IAC 32-4-6(2)(O)
Procedures could include any steps taken to immediately minimize exposure potential. A notification would need to be given as early as possible, but not later than the following work day.
16. Section XI: Emergency lead abatement- 410 IAC 32-4-6(2)(O)
Specify:
 1. The date that the emergency occurred,
 2. a description of the sudden unexpected event, and
 3. an explanation of how the event causes a lead-based paint hazard and warrants immediate action.
17. Section XII: Certification Statement and Signature by Owner/Operator-410 IAC 32-4-6(2)(M)
Self-explanatory.

NOTIFICATION OF LEAD ABATEMENT ACTIVITIES

I. Type of Notification (check one): Original Revised* Cancelled Courtesy

* Must include copy of notification which is being revised.

REMEMBER: EPA Renovator Certification is required for all non-abatement renovation activities in target housing and/or child-occupied facilities [40 CFR 745].

II. General Information (Identify owner, property address, lead activities contractor, lead inspector, risk assessor.)

Property Owners Name: _____

Property Owners Address: _____ City: _____

State: _____ ZIP: _____ Contact Name: _____ Telephone: _____

Lead Abatement Contractor: _____

Address: _____ City: _____

State: _____ ZIP: _____ Contact Name: _____ Telephone: _____

Indiana Contractor License Number: _____ Expiration Date (month, day, year): _____

FAX number: _____ E-mail Address: _____

Check here if you want a copy of the abatement notice letter mailed to you instead of faxed or sent by e-mail.

Lead Inspector or Risk Assessor Name: _____

Address: _____

City: _____ State: _____ ZIP: _____

Indiana License Number: _____ Expiration Date (month, day, year): _____

Telephone: _____

III. Type of Operations to be used on this site (check all that apply):

Interior Wet Stripping Encapsulation Exterior Dry Stripping Enclosure Emergency

IV. Procedures used to detect the Presence and Amount of Lead:

XRF Report Paint Chip Analysis Other: _____

V. Approximate amount of lead-based paint affected:

VI. Scheduled dates of lead-based paint removal:

Linear Feet:

Start Date (month, day, year):

Surface Area (square feet):

Completion Date (month, day, year):

VII. Property Description: Child-occupied Facility Target Housing Other: _____

Work Site Address: _____ City: _____, IN ZIP Code: _____

Affected component or portion of facility: _____

Exact activity location(s): _____

Number of floors: _____ Age of structure: _____ Present use: _____

VIII. Description of planned activity work to be performed and methods to be used:

IX. Description of work practices and engineering controls to be used to comply with this rule:

X. Description of procedures to be followed in the event that unexpected lead-based paint becomes a lead hazard and warrants immediate action: _____

XI. For Emergencies Only:

Explanation of how the event caused a lead hazard and warranted immediate action: _____

XII. I hereby certify that the information in this notification is correct and that I will only use Indiana-licensed workers and project supervisors, to implement this lead abatement activity, which have been trained under 410 IAC 32; 40 CFR 745. The trained individual(s) along with evidence that the required training was accomplished shall be available at the job site during actual work hours.

Owner / operator (signature)

Date (month, day, year)

Owner / operator (printed)

Affiliation