This form contains confidential information per 410 IAC 1-2.5-78.

INSTRUCTIONS: 1. Submit form via NBS or fax completed form to Indiana Department of Health at (317) 233-7747. Telephone number: 317-233-7434

- 2. Submit only for newly provider diagnosed latent TB infection (LTBI).
- 3.All newly diagnosed cases of LTBI shall be reported to the local health officer or the department within one (1) working day in accordance with 410 IAC 1-2.5.

1. Patient name (Last, First, MI)			
		Reported by	
		Agency	
2. Address (number and street)		Telephone number ()	
		Attending Physician	
City	ZIP code	Telephone number ()	
County		FOR LOCAL HEALTH DEPARTMENT USE ONLY	
Telephone number ()		TOR BOOME MEMBERS DEFINATIONENT COSE ON ET	
		Date received at local health department (month, day, year)	
3. Date of birth		Reported by Telephone number ()	
4. Sex at birth Male Female		100pmene namesi (
If female, was individual pregnant at time of evaluation? Yes No		8. Born in the United States?	
, ,	· — —	If no, country of birth	
5. Race (check all that apply)		Date arrived in the U.S. (month, day, year)	
American Indian or Alaska Native		9. Country of usual residence	
Asian (specify):		10. Lived outside of the United States for >2 months	
☐ Black or African-American		uninterrupted?	
☐ Native Hawaiian or other Pacific Islander (specify):		If yes, list countries:	
☐ White		11. Pediatric TB patients (<15 years old)	
_		Country of birth for primary guardian(s) (specify):	
Other race (specify):	<u> </u>	Guardian 1	
6. Ethnicity: Hispanic or Latino	☐ Not Hispanic or Latino	Guardian 2	
7. Language spoken:			
12. Initial reason evaluated for LTBI (s	·		
Contact Investigation – Name of case		Targeted Testing	
Immigration Medical Exam		Other	
☐ Employment Testing			
13. Previous positive TB skin test (TST	or Interferon Gamma Release Ass	say (IGRA)? Yes No If yes, year	
14. Previous diagnosis of LTBI?	es No If yes, year		
If yes, completed treatment?	es No Unknown Len	ngth of treatment	

15. TB skin test				
☐ Positive ☐ Negative ☐ Not done				
Date placed (month, day, year)				
Date read (month, day, year)				
Resultsmm				
16. Interferon Gamma Release Assay				
☐ QuantiFERON (QFT)				
☐ Positive ☐ Negative ☐ Indeterminate ☐ Not done				
☐ T-SPOT				
Positive ☐ Negative ☐ Borderline ☐ Invalid ☐ Not done				
Date collected (month, day, year)				
17. Chest X-ray/CT Initial chest X-ray/CT:				
Normal ☐ Abnormal, not consistent with TB ☐ Abnormal, TB disease ruled out				
Date of chest X-ray/CT (month, day, year)Previous chest X-ray/CT date (month, day, year)				
18. HIV status at time of diagnosis (select one) Date of HIV test (month, day, year)				
Positive Negative Indeterminate Pending Refused Not offered				
19. Was the patient diabetic at the time of evaluation?				
20. Current smoking or vaping of nicotine products status at time of evaluation?				
☐ Current everyday smoker ☐ Current someday smoker				
☐ Former smoker ☐ Never smoker				
☐ Smoker, current status unknown				
21. Has the patient ever worked as one of the following? (Select all that apply.)				
Health care worker Migrant / seasonal worker				
☐ Correctional facility worker ☐ None of the above				
22. What is the patient's current occupation?				
☐ Health care worker ☐ Migrant / seasonal worker				
Correctional facility worker				
Other occupation (specify)				
Place of employment				
☐ Retired ☐ Unemployed				
☐ Not seeking employment (e.g., student, homemaker, disabled person)				
Student School School				
23. Has the patient ever been homeless?				
If yes, name of facility				
23a. Has the patient been homeless in the past twelve (12) months?				
If yes, name of facility				

24. Was the patient ever a resident of a correctional facility? Yes No					
If yes, name, location, and date (month, day, year) of most recent incarcerat	ion:				
24a. Was the patient a resident of a correctional facility at time of evalu	ation? Yes No				
If yes, name of facility					
Type of facility (Select one.)					
☐ Local jail ☐ State prison ☐ Federal prison ☐ Juve	nile correctional facility	er correctional facility			
	T				
25. Was the patient a resident of a long-term care facility at time of diagnosis?	Type of facility (Select one.)				
uiagnosis:	☐ Nursing home	☐ Hospital-based facility			
Yes No	Residential facility	☐ Mental health residential facility			
If yes, name of facility	Alcohol or drug treatment facility	Other long-term care facility			
	lacinty				
26. Additional risk factors (select all that apply)					
Contact of infectious TB patient (Two (2) years or less)	☐ Noninjecting drug use in past twelve (12) months				
☐ End-stage renal disease at evaluation	Post-organ transplantation				
☐ Heavy alcohol use in past twelve (12) months	TNF-α antagonist therapy				
☐ Immunocompromise (not HIV/AIDS)	☐ Viral hepatitis B ever				
☐ Injecting drug use in past twelve (12) months	☐ Viral hepatitis C ever				
	Other (specify)				
27. Based on risk factors for TB exposure or for progression to TB disea Window prophylaxis Treatment for TB Infection	se, this patient is being treated for:	(select one)			
28. Initial Drug Regimen					
		3HR (Daily, 3 months)			
☐ 3HP (1x Weekly, 12 weeks) ☐ 4R (Daily, 4 months)					
☐ 3HP (1x Weekly, 12 weeks) ☐ 4R (Daily, 4 months) Rifapentine, Dose: Rifampin, Dose:	Rifampin, Dose:				
☐ 3HP (1x Weekly, 12 weeks) ☐ 4R (Daily, 4 months) Rifapentine, Dose: Isoniazid, Dose:					
☐ 3HP (1x Weekly, 12 weeks) ☐ 4R (Daily, 4 months) Rifapentine, Dose: Rifampin, Dose:	Rifampin, Dose: Isoniazid, Dose:				
☐ 3HP (1x Weekly, 12 weeks) ☐ 4R (Daily, 4 months) Rifapentine, Dose: Isoniazid, Dose: Alternate Regimens:	Rifampin, Dose: Isoniazid, Dose:				
☐ 3HP (1x Weekly, 12 weeks) ☐ 4R (Daily, 4 months) Rifapentine, Dose:	Rifampin, Dose: Isoniazid, Dose:				
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose: Rifampin, Dose: Isoniazid, Dose: □ Alternate Regimens: □ Isoniazid, Dose: □ Other, Drug(s) □ Dose(standard) Frequency: Daily / Twice Weekly Length: 6 Months / 9 Months Length: □ Length: □ L	Rifampin, Dose: Isoniazid, Dose: s):	day year)			
☐ 3HP (1x Weekly, 12 weeks) ☐ 4R (Daily, 4 months) Rifapentine, Dose: Rifampin, Dose: Isoniazid, Dose: Other, Drug(s) Dose(standard production) Frequency: Daily / Twice Weekly Frequency:	Rifampin, Dose: Isoniazid, Dose:	. day, year)			
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose: Rifampin, Dose: Isoniazid, Dose: □ Alternate Regimens: □ Isoniazid, Dose: □ Other, Drug(s) □ Dose(standard) Frequency: Daily / Twice Weekly Length: 6 Months / 9 Months Length: □ Length: □ L	Rifampin, Dose: Isoniazid, Dose: S): 30. Date therapy started (month)	. day, year)			
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose: Rifampin, Dose: Isoniazid, Dose: □ Alternate Regimens: □ Other, Drug(s) □ Isoniazid, Dose: □ Other, Drug(s) Frequency: Daily / Twice Weekly Frequency: Length: 6 Months / 9 Months Length: 29. Patient weight pounds / 2.2 = Kg	Rifampin, Dose: Isoniazid, Dose: S): 30. Date therapy started (month)	. day, year)			
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose:	Rifampin, Dose: Isoniazid, Dose: S): 30. Date therapy started (month)	, day, year)			
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose:	Rifampin, Dose: Isoniazid, Dose: S): 30. Date therapy started (month)	, day, year)			
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose:	Rifampin, Dose: Isoniazid, Dose: S): 30. Date therapy started (month)	day, year)			
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose:	Rifampin, Dose: Isoniazid, Dose: S): 30. Date therapy started (month)	, day, year)			
□ 3HP (1x Weekly, 12 weeks) □ 4R (Daily, 4 months) Rifapentine, Dose:	Rifampin, Dose: Isoniazid, Dose: S): 30. Date therapy started (month)	, day, year)			